S3460-2-U

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
AUGUSTA, MAINE 04333

Office of Data, Research and Vital Statistics
State House, Station #11
Augusta, Maine 04333

Tel: (207) 289-3001
289-3181 (Vital Records)

JOSEPH E. BRENNAN
GOVERNOR

MICHAEL R. PETIT
COMMISSIONER

August 13, 1986

ERRATA - MAINE VITAL STATISTICS 1983

The population data used with Table 3-01 in the Maine Vital Statistics 1983 was incorrect. Please replace pages 85-89 and page 150 with the enclosed corrected copies.

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

| | ******* DEATHS ****** | | | ******** RANK ******* | | | *** RATE PER 100,000 POPULATION *** | | |
|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | MALE | FEMALE | BY NUMBER OF DEATHS TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| AGE: TOTAL FOR ALL AGES | | | | | | | | | |
| CAUSE OF DEATH | | | | | | | | | |
| HEART DISEASE (390-398,402,404-429) | 4,179 | 2,128 | 2,051 | 1 | 1 | 1 | 364.7 | 382.3 | 348.1 |
| MALIGNANT NEOPLASMS (140-208) | 2,503 | 1,347 | 1,156 | 2 | 2 | 2 | 218.4 | 242.0 | 196.2 |
| CEREBROVASCULAR DISEASE (430-438) | 790 | 302 | 488 | 3 | 4 | 3 | 68.9 | 54.3 | 82.8 |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 445 | 313 | 132 | 4 | 3 | 6 | 38.8 | 56.2 | 22.4 |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) | 442 | 295 | 147 | 5 | 5 | 5 | 38.6 | 53.0 | 25.0 |
| PNEUMONIA & INFLUENZA (480-487) | 365 | 163 | 202 | 6 | 6 | 4 | 31.9 | 29.3 | 34.3 |
| ATHEROSCLEROSIS (440) | 176 | 66 | 110 | 7 | 10 | 7 | 15.4 | 11.9 | 18.7 |
| DIABETES MELLITUS (250) | 169 | 69 | 100 | 8 | 9 | 8 | 14.7 | 12.4 | 17.0 |
| SUICIDE (E950-E959) | 162 | 122 | 40 | 9 | 7 | 12 | 14.1 | 21.9 | 6.8 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 140 | 97 | 43 | 10 | 8 | 11 | 12.2 | 17.4 | 7.3 |
| TOTAL FOR AGE GROUP | 10,916 | 5,674 | 5,242 | | | | 952.7 | 1,019.3 | 889.7 |
| AGE: UNDER 1 YEAR | | | | | | | | | |
| PERINATAL CONDITIONS (760-779) | 76 | 51 | 25 | 1 | 1 | 1 | 451.0 | 593.0 | 303.0 |
| CONGENITAL ANOMALIES (740-759) | 35 | 15 | 20 | 2 | 2 | 2 | 207.7 | 174.4 | 242.4 |
| PNEUMONIA & INFLUENZA (480-487) | 2 | 1 | 1 | 3 | 3 | 3 | ### | ### | ### |
| INFECTIOUS & PARASITIC DISEASES (001-139) | 1 | 0 | 1 | 4 | 6 | 3 | ### | ### | ### |
| MENINGITIS (320-322) | 1 | 0 | 1 | 5 | 6 | 3 | ### | ### | ### |
| ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560) | 1 | 1 | 0 | 6 | 3 | 6 | ### | ### | ### |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 1 | 1 | 0 | 7 | 3 | 6 | ### | ### | ### |
| TOTAL FOR AGE GROUP | 145 | 83 | 62 | | | | 860.5 | 965.1 | 751.5 |

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

| | ******* DEATHS ****** | | | ******** RANK ******* | | | *** RATE PER 100,000 POPULATION *** | | |
|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | MALE | FEMALE | BY NUMBER OF DEATHS TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| AGE: 1 TO 14 YEARS | | | | | | | | | |
| CAUSE OF DEATH | | | | | | | | | |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 33 | 23 | 10 | 1 | 1 | 1 | 14.0 | 18.9 | 8.8 |
| MALIGNANT NEOPLASMS (140-208) | 7 | 2 | 5 | 2 | 2 | 2 | ### | ### | ### |
| INFECTIOUS & PARASITIC DISEASES (001-139) | 2 | 2 | 0 | 3 | 2 | 5 | ### | ### | ### |
| BENIGN NEOPLASMS (210-239) | 2 | 1 | 1 | 4 | 4 | 3 | ### | ### | ### |
| CONGENITAL ANOMALIES (740-759) | 2 | 1 | 1 | 5 | 4 | 3 | ### | ### | ### |
| MENINGITIS (320-322) | 1 | 1 | 0 | 6 | 4 | 5 | ### | ### | ### |
| HOMICIDE & LEGAL INTERVENTION (E960-E978) | 1 | 1 | 0 | 7 | 4 | 5 | ### | ### | ### |
| TOTAL FOR AGE GROUP | 60 | 41 | 19 | | | | 25.4 | 33.6 | 16.6 |
| AGE: 15 TO 24 YEARS | | | | | | | | | |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 117 | 95 | 22 | 1 | 1 | 1 | 62.9 | 101.7 | 23.8 |
| SUICIDE (E950-E959) | 41 | 31 | 10 | 2 | 2 | 2 | 22.0 | 33.2 | 10.8 |
| HOMICIDE & LEGAL INTERVENTION (E960-E978) | 7 | 5 | 2 | 3 | 3 | 3 | ### | ### | ### |
| HEART DISEASE (390-398,402,404-429) | 5 | 4 | 1 | 4 | 4 | 5 | ### | ### | ### |
| DIABETES MELLITUS (250) | 2 | 0 | 2 | 5 | 7 | 3 | ### | ### | ### |
| INFECTIOUS & PARASITIC DISEASES (001-139) | 1 | 0 | 1 | 6 | 7 | 5 | ### | ### | ### |
| MALIGNANT NEOPLASMS (140-208) | 1 | 0 | 1 | 7 | 7 | 5 | ### | ### | ### |
| CEREBROVASCULAR DISEASE (430-438) | 1 | 1 | 0 | 8 | 5 | 9 | ### | ### | ### |
| PNEUMONIA & INFLUENZA (480-487) | 1 | 0 | 1 | 9 | 7 | 5 | ### | ### | ### |
| CONGENITAL ANOMALIES (740-759) | 1 | 1 | 0 | 10 | 5 | 9 | ### | ### | ### |
| TOTAL FOR AGE GROUP | 189 | 145 | 44 | | | | 101.6 | 155.3 | 47.5 |

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

| | ******* DEATHS ****** | | | ******** RANK ******* BY NUMBER OF DEATHS | | | *** RATE PER 100,000 POPULATION *** | | |
|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| AGE: 25 TO 34 YEARS | | | | | | | | | |
| CAUSE OF DEATH | | | | | | | | | |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 74 | 56 | 18 | 1 | 1 | 1 | 40.3 | 61.4 | 19.5 |
| SUICIDE (E950-E959) | 37 | 28 | 9 | 2 | 2 | 3 | 20.1 | 30.7 | ### |
| MALIGNANT NEOPLASMS (140-208) | 31 | 18 | 13 | 3 | 3 | 2 | 16.9 | 19.7 | 14.1 |
| HEART DISEASE (390-398,402,404-429) | 11 | 10 | 1 | 4 | 4 | 4 | 6.0 | 11.0 | ### |
| HOMICIDE & LEGAL INTERVENTION (E960-E978) | 4 | 3 | 1 | 5 | 5 | 4 | ### | ### | ### |
| DIABETES MELLITUS (250) | 2 | 2 | 0 | 6 | 6 | 9 | ### | ### | ### |
| CEREBROVASCULAR DISEASE (430-438) | 2 | 1 | 1 | 7 | 8 | 4 | ### | ### | ### |
| PNEUMONIA & INFLUENZA (480-487) | 2 | 1 | 1 | 8 | 8 | 4 | ### | ### | ### |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 2 | 2 | 0 | 9 | 6 | 9 | ### | ### | ### |
| CONGENITAL ANOMALIES (740-759) | 2 | 1 | 1 | 10 | 8 | 4 | ### | ### | ### |
| TOTAL FOR AGE GROUP | 187 | 138 | 49 | | | | 101.8 | 151.3 | 53.0 |
| AGE: 35 TO 44 YEARS | | | | | | | | | |
| MALIGNANT NEOPLASMS (140-208) | 63 | 24 | 39 | 1 | 3 | 1 | 41.1 | 31.3 | 51.0 |
| HEART DISEASE (390-398,402,404-429) | 55 | 44 | 11 | 2 | 1 | 2 | 35.9 | 57.4 | 14.4 |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 43 | 37 | 6 | 3 | 2 | 3 | 28.1 | 48.2 | ### |
| SUICIDE (E950-E959) | 22 | 17 | 5 | 4 | 4 | 4 | 14.4 | 22.2 | ### |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 10 | 9 | 1 | 5 | 5 | 8 | 6.5 | ### | ### |
| CEREBROVASCULAR DISEASE (430-438) | 9 | 4 | 5 | 6 | 7 | 4 | ### | ### | ### |
| HOMICIDE & LEGAL INTERVENTION (E960-E978) | 8 | 6 | 2 | 7 | 6 | 6 | ### | ### | ### |
| DIABETES MELLITUS (250) | 5 | 4 | 1 | 8 | 7 | 8 | ### | ### | ### |
| INFECTIOUS & PARASITIC DISEASES (001-139) | 3 | 2 | 1 | 9 | 9 | 8 | ### | ### | ### |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) | 3 | 1 | 2 | 10 | 11 | 6 | ### | ### | ### |
| TOTAL FOR AGE GROUP | 252 | 170 | 82 | | | | 164.5 | 221.6 | 107.2 |

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

| | ******* DEATHS ****** | | | ******** RANK ******* | | | *** RATE PER 100,000 *** | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | BY NUMBER OF DEATHS | | | POPULATION | | |
| | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| **AGE: 45 TO 64 YEARS** | | | | | | | | | |
| CAUSE OF DEATH | | | | | | | | | |
| HEART DISEASE (390-398,402,404-429) | 698 | 511 | 187 | 1 | 1 | 2 | 318.5 | 488.1 | 163.4 |
| MALIGNANT NEOPLASMS (140-208) | 670 | 378 | 292 | 2 | 2 | 1 | 305.7 | 361.0 | 255.1 |
| CEREBROVASCULAR DISEASE (430-438) | 80 | 38 | 42 | 3 | 5 | 3 | 36.5 | 36.3 | 36.7 |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) | 65 | 42 | 23 | 4 | 4 | 4 | 29.7 | 40.1 | 20.1 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 64 | 47 | 17 | 5 | 3 | 5 | 29.2 | 44.9 | 14.9 |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 50 | 35 | 15 | 6 | 6 | 6 | 22.8 | 33.4 | 13.1 |
| SUICIDE (E950-E959) | 35 | 26 | 9 | 7 | 7 | 9 | 16.0 | 24.8 | ### |
| DIABETES MELLITUS (250) | 32 | 17 | 15 | 8 | 8 | 6 | 14.6 | 16.2 | 13.1 |
| PNEUMONIA & INFLUENZA (480-487) | 30 | 17 | 13 | 9 | 8 | 8 | 13.7 | 16.2 | 11.4 |
| INFECTIOUS & PARASITIC DISEASES (001-139) | 18 | 9 | 9 | 10 | 10 | 9 | 8.2 | ### | ### |
| TOTAL FOR AGE GROUP | 1,940 | 1,237 | 703 | | | | 885.2 | 1,181.5 | 614.2 |
| **AGE: 65 TO 74 YEARS** | | | | | | | | | |
| HEART DISEASE (390-398,402,404-429) | 989 | 604 | 385 | 1 | 1 | 1 | 1,132.6 | 1,570.1 | 788.0 |
| MALIGNANT NEOPLASMS (140-208) | 811 | 458 | 353 | 2 | 2 | 2 | 928.7 | 1,190.5 | 722.5 |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) | 158 | 109 | 49 | 3 | 3 | 4 | 180.9 | 283.3 | 100.3 |
| CEREBROVASCULAR DISEASE (430-438) | 120 | 60 | 60 | 4 | 4 | 3 | 137.4 | 156.0 | 122.8 |
| PNEUMONIA & INFLUENZA (480-487) | 50 | 32 | 18 | 5 | 5 | 7 | 57.3 | 83.2 | 36.8 |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 45 | 25 | 20 | 6 | 7 | 6 | 51.5 | 65.0 | 40.9 |
| CHRONIC LIVER DISEASE & CIRRHOSIS (571) | 39 | 26 | 13 | 7 | 6 | 8 | 44.7 | 67.6 | 26.6 |
| DIABETES MELLITUS (250) | 37 | 12 | 25 | 8 | 9 | 5 | 42.4 | 31.2 | 51.2 |
| INFECTIOUS & PARASITIC DISEASES (001-139) | 19 | 13 | 6 | 9 | 8 | 11 | 21.8 | 33.8 | ### |
| ATHEROSCLEROSIS (440) | 19 | 10 | 9 | 10 | 11 | 9 | 21.8 | 26.0 | ### |
| TOTAL FOR AGE GROUP | 2,564 | 1,522 | 1,042 | | | | 2,936.2 | 3,956.3 | 2,132.8 |

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

| | ******* DEATHS ****** | | | ******** RANK ******* BY NUMBER OF DEATHS | | | *** RATE PER 100,000 *** POPULATION | | |
|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| AGE: 75 TO 84 YEARS | | | | | | | | | |
| CAUSE OF DEATH | | | | | | | | | |
| HEART DISEASE (390-398,402,404-429) | 1,256 | 598 | 658 | 1 | 1 | 1 | 2,638.7 | 3,436.8 | 2,178.8 |
| MALIGNANT NEOPLASMS (140-208) | 650 | 351 | 299 | 2 | 2 | 2 | 1,365.5 | 2,017.2 | 990.1 |
| CEREBROVASCULAR DISEASE (430-438) | 268 | 114 | 154 | 3 | 3 | 3 | 563.0 | 655.2 | 509.9 |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) | 153 | 102 | 51 | 4 | 4 | 4 | 321.4 | 586.2 | 168.9 |
| PNEUMONIA & INFLUENZA (480-487) | 100 | 52 | 48 | 5 | 5 | 5 | 210.1 | 298.9 | 158.9 |
| DIABETES MELLITUS (250) | 56 | 20 | 36 | 6 | 8 | 6 | 117.6 | 114.9 | 119.2 |
| ATHEROSCLEROSIS (440) | 51 | 21 | 30 | 7 | 7 | 7 | 107.1 | 120.7 | 99.3 |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 44 | 25 | 19 | 8 | 6 | 9 | 92.4 | 143.7 | 62.9 |
| INFECTIOUS & PARASITIC DISEASES (001-139) | 32 | 14 | 18 | 9 | 9 | 10 | 67.2 | 80.5 | 59.6 |
| NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589) | 30 | 10 | 20 | 10 | 11 | 8 | 63.0 | 57.5 | 66.2 |
| TOTAL FOR AGE GROUP | 3,037 | 1,509 | 1,528 | | | | 6,380.3 | 8,672.4 | 5,059.6 |
| AGE: 85 YEARS AND OLDER | | | | | | | | | |
| HEART DISEASE (390-398,402,404-429) | 1,165 | 357 | 808 | 1 | 1 | 1 | 7,331.7 | 8,341.1 | 6,906.0 |
| CEREBROVASCULAR DISEASE (430-438) | 310 | 84 | 226 | 2 | 3 | 2 | 1,950.9 | 1,962.6 | 1,931.6 |
| MALIGNANT NEOPLASMS (140-208) | 270 | 116 | 154 | 3 | 2 | 3 | 1,699.2 | 2,710.3 | 1,316.2 |
| PNEUMONIA & INFLUENZA (480-487) | 180 | 60 | 120 | 4 | 4 | 4 | 1,132.8 | 1,401.9 | 1,025.6 |
| ATHEROSCLEROSIS (440) | 98 | 29 | 69 | 5 | 6 | 5 | 616.7 | 677.6 | 589.7 |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) | 63 | 41 | 22 | 6 | 5 | 7 | 396.5 | 957.9 | 188.0 |
| ACCIDENTS & ADVERSE EFFECTS (E800-E949) | 38 | 16 | 22 | 7 | 7 | 7 | 239.1 | 373.8 | 188.0 |
| DIABETES MELLITUS (250) | 35 | 14 | 21 | 8 | 8 | 9 | 220.3 | 327.1 | 179.5 |
| NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589) | 35 | 11 | 24 | 9 | 9 | 6 | 220.3 | 257.0 | 205.1 |
| INFECTIOUS & PARASITIC DISEASES (001-139) | 18 | 5 | 13 | 10 | 10 | 11 | 113.3 | ### | 111.1 |
| TOTAL FOR AGE GROUP | 2,542 | 829 | 1,713 | | | | 15,997.5 | 19,369.2 | 14,641.0 |

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS